Volume 49

Issue 1, pp. 1–152: May 1997
Issue 2, pp. 153–270: June 1997
Issue 3, pp. 271–338: July 1997
Issue 4, pp. 389–508: August 1997

Volume contents

Invited editorial

Continuing problems with gray literature, by F. Lacanilao 1–5

Full papers

Autumn use of woody snags by fishes in backwater and channel border habitats of large river, by R.M. Lehtinen, N.D. Mundahl & J.C. Madejczyk 7–19

Threatened fishes of the world: Gobio uranoscopus *(Agassiz, 1828), by R. Bless* 20

The catfish fauna of Lake Victoria after the Nile perch upsurge, by K. Goudswaard & F. Witte 21–43

Threatened fishes of the world: Silhouettea sibayi *Farquharson, 1970 (Gobiidae), by M.N. Bruton* 44

Reef fish assemblages in north-western Sri Lanka: distribution patterns and influences of fishing practises, by M.C. Öhman, A. Rajasuriya & E. Ólafsson 45–61

Threatened fishes of the world: Amblyceps mangois *Hamilton, 1822 (Amblycipitidae), by M.S. Prasad, A.N. Yadav & B. Singh* 61

Fluctuating asymmetry and reproductive isolation between two sticklebacks, by T. Hatfield ... 63–69

Alternative styles in the European wrasse, *Symphodus ocellatus:* boldness-related schooling tendency, by S.V. Budaev 71–78

How light, a predator, and experience influence bluegill use of shade and schooling, by A.L. McCartt, W.E. Lynch Jr. & D.L. Johnson 79–87

Differential learning rates of chemical versus visual cues of a northern pike by fathead minnows in a natural habitat, by G.E. Brown, D.P. Chivers & R.J.F. Smith 89–96

Effects of exposure to predatory cues on territorial behaviour of male fathead minnows, by H.M. Jones & C.A. Paszkowski 97–109

Ontogenic diet shifts and scale-eating in *Roeboides dayi*, a Neotropical characid, by C.C. Peterson & K.O. Winemiller 111–118

Saline groundwater as an aquaculture medium: physiological studies on the red drum, *Sciaenops ocellatus*, by J.A. Forsberg & W.H. Neill 119–128

Salmon lice, *Lepeophtheirus salmonis*, infestation as a causal agent of premature return to rivers and estuaries by sea trout, *Salmo trutta*, juveniles by K. Birkeland & P.J. Jakobsen 129–137

Brief communications

Pugnose eels, *Simenchelys parasiticus* (Synaphobranchidae) from the heart of a shortfin mako, *Isurus oxyrinchus* (Lamnidae), by J.N. Caira, G.W. Benz, J. Borucinska & N.E. Kohler 139–144

Predator-induced phenotypic changes in crucian carp and caused by chemical signals from conspecifics, by O.B. Stabell & M.S. Lwin 145–149

Book critique

The world of electric fishes, by M. Hagedorn 151–152

Full papers

Patterns of abundance and size structure in the blue groper, *Achoerodus viridis* (Pisces, Labridae): evidence of links between estuaries and coastal reefs, by B.M. Gillanders 153–173

Threatened fishes of the world: Galaxiella munda *McDowall, 1978, by H.S. Gill & D.L. Morgan* 174

Convergent evolution of weakly electric fishes from floodplain habitats in Africa and South America, by K.O. Winemiller & A. Adite 175–186

Drift ecology of western catostomid larvae with emphasis on Warner Suckers, *Catostomus warnerensis* (Teleostei), by T.B. Kennedy & G.L. Vinyard 187–195

Threatened fishes of the world: Etheostoma nianguae *Gilbert & Meek, 1887 (Pericidae), by R.M. Strange & H.T. Mattingly* 196

Reproductive regulation in the female Japanese minnow, *Pseudorasbora parva* (Cyprinidae), by O. Katano & K. Maekawa 197–205

Threatened fishes of the world: Chiloglanis emarginatus *(Jubb & le Roux, 1969) (Mochokidae), by C.J. Kleynhans* 206

The biology of the panga, *Pterogymnus laniarius* (Teleostei: Sparidae), on the Agulhas Bank, South Africa, by A.J. Booth & C.D. Buxton 207–226

Food habits, occurrence, and population structure of the bat ray, *Myliobatis californica,* in Humboldt Bay, California, by A.E. Gray, T.J. Mulligan & R.W. Hannah 227–238

The natural history of a monogamous coral-reef fish, *Valenciennea strigata* (Gobiidae): 1. abundance, growth, survival and predation, by R.H. Reavis 239–246

The natural history of a monogamous coral-reef fish, *Valenciennea strigata* (Gobiidae): 2. behavior, mate fidelity, and reproductive success, by R.H. Reavis 247–257

Brief communications

Critical thermal maxima of diploid and triploid brook charr, *Salvelinus fontinalis*, by T.J. Benfey, L.E. McCabe & P. Pepin 259–264

Predator-induced respiratory responses in juveniles of vendace *Coregonus albula*, whitefish *C. lavaretus*, perch *Perca fluviatilis* and roach *Rutilus rutilus*, by H. Huuskonen & J. Karjalainen 265–269

Full papers

Invading species in the Eel River, California: successes, failures, and relationships with resident species, by L.R. Brown & P.B. Moyle 271–291

Threatened fishes of the world: Ptychocheilus lucius *Girard, 1856 (Cyprinidae), by M. Gard* ... 292

The spawning behaviour of the endangered Eastern Cape rocky, *Sandelia bainsii* (Anabantidae), in South Africa, by J.A. Cambray 293–306

Ontogenetic changes in retinal structure and visual acuity: a comparative study of coral-reef teleosts with differing post-settlement lifestyles, by J. Shand 307–322

Effects of salinity on survival, growth, metabolism, and behavior in juvenile hogchokers, *Trinectes maculatus fasciatus* (Achiridae), by T.L. Peterson-Curtis 323–331

Threatened fishes of the world: Pimelodella kronei *(Ribeiro, 1907) (Pimelodidae), by E. Trajano* 332

Harem structure of the protogynous angelfish, *Centropyge ferrugatus* (Pomacanthidae), by Y. Sakai & M. Kohda 333–339

Lethal temperatures of a Neotropical fish relic in Patagonia, the scale-less characinid *Gymnocharacinus bergi*, by S.G. Ortubay, S.E. Gómez & V.E. Cussac 341–350

Allocation of resources in an European cyprinid during maturation period as measured by nucleic acids, by C. Escot & C. Granado-Lorencio 351–359
Threatened fishes of the world: Cobitis paludica *(De Buen, 1930) (Cobitidae), by A. Perdices & I. Doadrio* 360
The diets of two co-occurring marine teleosts, *Parequula melbournensis* and *Pseudocaranx wrighti*, and their relationships to body size and mouth morphology, and the season and location of capture, by M.E. Platell, G.A. Sarre & I.C. Potter 361–376
Estimating piscine prey size from partial remains: testing for shifts in foraging mode by juvenile bluefish, F.S. Scharf, J.A. Buckel, F. Juanes & D.O. Conover 377–388

Full papers
An acoustic tracking of a megamouth shark, *Megachasma pelagios*: a crepuscular vertical migrator, by D.R. Nelson, J.N. McKibben, W.R. Strong, Jr., C.G. Lowe, J.A. Sisneros, D.M. Schroeder & R.J. Lavenberg 389–399
Threatened fishes of the world: Glyphis gangeticus *(Müller & Henle, 1839) (Carcharhinidae), by L.J.V. Compagno* 400
Development of the axial skeleton in wolffish, *Anarhichas lupus* (Pisces, Anarhichadidae), at different temperatures, by D.A. Pavlov & E. Moksness 401–416
Spatial and temporal variation of fish communities in secondary channels of the San Juan River, New Mexico and Utah, by K.B. Gido, D.L. Propst & M.C. Molles, Jr. 417–434
Age, growth and reproduction of *Sillago schomburgkii* in south-western Australian, nearshore waters and comparisons of life history styles of a suite of *Sillago species*, by G.A. Hyndes & I.C. Potter 435–447
Fish species diversity in sand bank habitats of a neotropical river, by D.B. Jepsen 449–460
Reproductive and feeding biology of the Natal mountain catfish, *Amphilius natalensis* (Siluriformes: Amphiliidae), by M.S. Marriott, A.J. Booth & P.H. Skelton 461–470
Feeding guild structure of a rocky intertidal fish assemblage in central Chile, by A.A. Muñoz & F.P. Ojeda 471–479
Threatened fishes of the world: Labeo seeberi *Gilchrist & Thompson, 1911 (Cyprinidae), by D. Impson* 480
Food relations between coexisting native Hawaiian stream fishes, by M.H. Kido 481–494

Brief communication
Microhabitat preferences of longear sunfish: low light intensity versus submerged cover, by K. Goddard & A. Mathis 495–499

Authors' index 501

Acknowledgements for refereeing 502

Volume contents 503–505

Instructions to authors 507–508